

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.
Help save water!*

September 18, 2014

08-Riv-60-1.6

08-0P2804

Project ID 0800001015

ACHSNHPG-P060(145)E

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN RIVERSIDE COUNTY NEAR MIRA LOMA AT THE INTERSECTION OF WEST BOUND ENTRANCE RAMP AND MISSION BOULEVARD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, September 24, 2014.

This addendum is being issued to revise the project plans, the *Notice to Bidders and Special Provisions*, and the *Bid* book.

Project plan sheets 7, 9 and 22 are replaced and attached for substitution for the like-numbered sheets.

In the *Notice to Bidders and Special Provisions*, in the "STANDARD PLANS LIST," the following Standard Plans are added as follows:

"T51, T59, and T61."

In the *Special Provisions*, Section 7-1.02K(6)(j)(iii), "Earth Material Containing Lead," is replaced as attached.

In the *Bid* book, in the "Bid Item List," Items 20, 53 and 54 are replaced.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Addendum No. 3
Page 2
September 18, 2014

08-Riv-60-1.6
08-0P2804
Project ID 0800001015
ACHSNHPG-P060(145)E

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html


Inform subcontractors and suppliers as necessary.

This addendum, EBS addendum file, and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/08/08-0P2804

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,


BASEM E. MUALLEM, P.E.
District Director

Attachments

Replace section 7-1.02K(6)(j)(iii) with:

7-1.02K(6)(j)(iii) Earth Material Containing Lead

Section 7-1.02K(6)(j)(iii) includes specifications for handling, removing, and disposing of earth material containing lead.

Submit a lead compliance plan.

Lead is present in earth material on the job site. The average lead concentrations are below 1,000 mg/kg total lead and below 5 mg/L soluble lead. The material on the job site:

1. Is not a hazardous waste
2. Does not require disposal at a permitted landfill or solid waste disposal facility

Lead has been detected in material to a depth of 2 feet in unpaved areas of the highway. Levels of lead found on the job site range from less than 4.5 to 468 mg/kg total lead with an average concentration of 39.89 mg/kg total lead as analyzed by EPA test method 6010 or EPA test method 7000 series and based upon a 95 percent upper confidence limit. Levels of lead found within the project limits have a predicted average soluble concentration of 2.52 mg/L as analyzed by the California Waste Extraction Test and based upon a 95 percent upper confidence limit.

Handle the material under all applicable laws, rules, and regulations, including those of the following agencies:

1. Cal/OSHA
2. CA RWQCB, Region 08—Santa Ana
3. CA Department of Toxic Substances Control

If the material is disposed of:

1. Disclose the lead concentration of the material to the receiving property owner when obtaining authorization for disposal on the property
2. Obtain the receiving property owner's acknowledgment of lead concentration disclosure in the written authorization for disposal
3. You are responsible for any additional sampling and analysis required by the receiving property owner

If you choose to dispose of the material at a commercial landfill:

1. Transport it to a Class III or Class II landfill appropriately permitted to receive the material
2. You are responsible for identifying the appropriately permitted landfill to receive the material and for all associated trucking and disposal costs, including any additional sampling and analysis required by the receiving landfill

BID ITEM LIST
08-0P2804

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
1	070030	LEAD COMPLIANCE PLAN	LS	LUMP SUM	LUMP SUM	
2	120090	CONSTRUCTION AREA SIGNS	LS	LUMP SUM	LUMP SUM	
3	120100	TRAFFIC CONTROL SYSTEM	LS	LUMP SUM	LUMP SUM	
4	120159	TEMPORARY TRAFFIC STRIPE (PAINT)	LF	7,360		
5	120165	CHANNELIZER (SURFACE MOUNTED)	EA	110		
6	120200	FLASHING BEACON (PORTABLE)	EA	2		
7	120300	TEMPORARY PAVEMENT MARKER	EA	55		
8	128651	PORTABLE CHANGEABLE MESSAGE SIGN (EA)	EA	2		
9	129000	TEMPORARY RAILING (TYPE K)	LF	1,820		
10	129100	TEMPORARY CRASH CUSHION MODULE	EA	42		
11	129150	TEMPORARY TRAFFIC SCREEN	LF	1,820		
12	130100	JOB SITE MANAGEMENT	LS	LUMP SUM	LUMP SUM	
13	130300	PREPARE STORM WATER POLLUTION PREVENTION PLAN	LS	LUMP SUM	LUMP SUM	
14	130330	STORM WATER ANNUAL REPORT	EA	1	2,000.00	2,000.00
15	130620	TEMPORARY DRAINAGE INLET PROTECTION	EA	6		
16	130650	TEMPORARY GRAVEL BAG BERM	LF	800		
17	130680	TEMPORARY SILT FENCE	LF	800		
18	140003	ASBESTOS COMPLIANCE PLAN	LS	LUMP SUM	LUMP SUM	
19	141103	REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE)	LF	2,170		
20	150227	ABANDON PIPELINE	EA	2		

BID ITEM LIST
08-0P2804

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
41	206402	OPERATE EXISTING IRRIGATION FACILITIES	LS	LUMP SUM	LUMP SUM	
42	206560	CONTROL AND NEUTRAL CONDUCTORS	LS	LUMP SUM	LUMP SUM	
43	206562	1" REMOTE CONTROL VALVE	EA	1		
44	206564	1 1/2" REMOTE CONTROL VALVE	EA	2		
45	208448	RISER SPRINKLER ASSEMBLY	EA	150		
46	208588	3" GATE VALVE	EA	1		
47 (F)	208595	1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE)	LF	1,870		
48 (F)	208597	1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE)	LF	60		
49 (F)	208598	2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE)	LF	320		
50 (F)	208607	3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE)	LF	140		
51	208683	BALL VALVE	EA	1		
52	208821	12" WELDED STEEL PIPE CONDUIT	LF	10		
53	260203	CLASS 2 AGGREGATE BASE (CY)	CY	590		
54	390132	HOT MIX ASPHALT (TYPE A)	TON	2,710		
55	390137	RUBBERIZED HOT MIX ASPHALT (GAP GRADED)	TON	230		
56	394076	PLACE HOT MIX ASPHALT DIKE (TYPE E)	LF	640		
57	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	SQYD	10		
58	395000	LIQUID ASPHALT (PRIME COAT)	TON	9		
59	397005	TACK COAT	TON	9		
60 (F)	510502	MINOR CONCRETE (MINOR STRUCTURE)	CY	7		